



## SAFETY DATA SHEET “MAGIC STAIN REMOVER”

SECTION 1 – PRODUCT IDENTIFICATION			
<b>Product Name:</b>	<b>MAGIC STAIN REMOVER</b>		
<b>Distributor:</b>	Rubbedin Pty Ltd		
<b>Address:</b>	Unit 1/43 Neumann Road Capalaba QLD 4157		
<b>Regular Phone No:</b>	(07) 3245 3255	<b>FAX:</b>	(07) 3245 2554
<b>Emergency Phone No:</b>	0405358685	<b>Email:</b>	<a href="mailto:info@rubbedin.com.au">info@rubbedin.com.au</a>
<b>Substance:</b>	Liquid	<b>Product Use:</b>	Cleaning agent
<b>Product Code:</b>	<b>08-250</b>		

SECTION 2 – HAZARDS IDENTIFICATION	
<b>Classification of the substance or mixture</b>	
<b>SUSMP Poisons Schedule</b>	This product is <b>NOT classified as a Scheduled Poison</b> according to the SUSMP.
<b>Dangerous Goods</b>	This product is <b>NOT classified as Dangerous Goods</b> according to the Australian Dangerous Goods (ADG) Code.
<b>GHS Classification</b>	<ul style="list-style-type: none"> <li>Eye Damage – Category 1</li> <li>Skin Irritation – Category 2</li> <li>Flammable Liquid – Category 3</li> </ul>
<b>Label elements</b>	
<b>GHS label pictograms</b>	Corrosive, Flame
<b>Signal word</b>	DANGER
<b>Hazard statement(s)</b>	
<b>H318</b>	Causes serious eye damage.
<b>H315</b>	Causes skin irritation.
<b>H226</b>	Flammable liquid and vapour.
<b>Precautionary statement(s): General</b>	
<b>P101</b>	If medical advice is needed, have product container or label at hand.
<b>P102</b>	Keep out of reach of children.
<b>P103</b>	Read label before use.
<b>Precautionary statement(s): Prevention</b>	
<b>P264</b>	Wash hands thoroughly after handling.
<b>P280</b>	Wear protective gloves/protective clothing/eye protection/face protection.
<b>P210</b>	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
<b>P233</b>	Keep container tightly closed.
<b>P240</b>	Ground/bond container and receiving equipment.
<b>P241</b>	Use explosion-proof electrical/ventilating/lighting/.../equipment.
<b>P242</b>	Use only non-sparking tools.
<b>P243</b>	Take precautionary measures against static discharge.
<b>Precautionary statement(s): Response</b>	
<b>P305 + P351 + P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P310</b>	Immediately call a POISON CENTER or doctor/physician.
<b>P303 + P361 + P352</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.
<b>P321</b>	Specific treatment (see First Aid Measures on Safety Data Sheet).
<b>P332 + P313</b>	If skin irritation occurs: Get medical advice/attention.



## SAFETY DATA SHEET “MAGIC STAIN REMOVER”

<b>P362</b>	Take off contaminated clothing and wash before reuse.
<b>P370 + P378</b>	In case of fire: Use foam, dry agent (carbon dioxide, dry chemical powder) for extinction.
<b>Precautionary statement(s): Storage</b>	
<b>P403 + P235</b>	Store in a well-ventilated place. Keep cool.
<b>Precautionary statement(s): Disposal</b>	
<b>P501</b>	Dispose of contents/container in accordance with local regulations.
<b>Note</b>	
<b>IMPORTANT</b>	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. Good hygiene and housekeeping practices should be adhered to.

### SECTION 3 – INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Sodium (C14-16) olefin sulfonate	68439-57-6	< 10% w/w
Ethanol	64-17-5	< 10% w/w
Diethylene glycol monobutyl ether	112-34-5	< 10% w/w
C9-11 Alcohol ethoxylate	68439-46-3	< 10% w/w
Pentyl Acetate	628-63-7	< 10% w/w
2-Methylbutylacetate	624-41-9	< 10% w/w
Sodium Xylene Sulphonate	1300-72-7	< 10% w/w
Ingredients determined to be non-hazardous at the concentration used	Various	To 100% w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication “List of Designated Hazardous Substances” or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication “Approved Criteria for Classifying Hazardous Substances”, or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

### SECTION 4 - EMERGENCY AND FIRST AID PROCEDURES

<b>Scheduled Poisons</b>	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
<b>First Aid Facilities</b>	Normal washroom facilities.
<b>Skin contact</b>	Wash skin with plenty of water. Seek medical advice (e.g. doctor) if irritation, burning or redness develops.
<b>Eye contact</b>	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
<b>Inhalation</b>	Remove victim to fresh air away from exposure - avoid becoming a casualty. Seek medical advice (e.g. doctor) if symptoms persist.
<b>Advice to Doctor</b>	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress of the patient. Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons.
<b>Aggravated Medical Conditions</b>	None known.



## SAFETY DATA SHEET “MAGIC STAIN REMOVER”

SECTION 5 – FIRE FIGHTING MEASURES	
<b>Fire and Explosion Hazards</b>	If involved in a fire will emit toxic fumes.
<b>Extinguishing Media</b>	Foam, dry agent (carbon dioxide, dry chemical powder).
<b>Fire Fighting</b>	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition. Evacuate area - move upwind of fire.
<b>Flash Point</b>	Ca 40 - 50°C. Does not sustain combustion.

SECTION 6 – ACCIDENTAL RELEASE MEASURES	
<b>Emergency Procedures</b>	No HAZCHEM code.
<b>Occupational Release</b>	Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. Isolate all ignition sources. For large spills, or tank rupture, consider initial evacuation distance of 200 metres in all directions. Stop leak if safe to do so. If available, use water spray to disperse vapour. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HANDLING AND STORAGE	
<b>Handling</b>	Avoid contact with incompatible materials. Keep away from sources of ignition. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling.
<b>Storage</b>	Store in a cool, dry, place with good ventilation.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION	
<b>Exposure Limits</b>	National Occupational Exposure Limits, as published by Safe Work Australia: <b>Time-weighted Average (TWA):</b> None established for specific product. Exposure Limits of individual ingredients: <ul style="list-style-type: none"> <li>• Ethanol: 1000ppm 1880mg/m<sup>3</sup></li> <li>• Amyl acetate: 50 ppm, 270mg/m<sup>3</sup></li> </ul> <b>Short Term Exposure Limit (STEL):</b> None established for specific product. Exposure Limits of individual ingredients: <ul style="list-style-type: none"> <li>• Amyl acetate: 100ppm, 541mg/m<sup>3</sup></li> </ul>
<b>Engineering Controls</b>	Local exhaust may be required to keep exposure levels below limits.
<b>Personal Protective Equipment</b>	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. The following protective equipment should be available;
<b>Eye Protection</b>	The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard ; soft lenses may absorb irritants and all lenses concentrate them.
<b>Skin Protection</b>	Gloves are recommended for cleaning up spills, decanting, etc.





## SAFETY DATA SHEET “MAGIC STAIN REMOVER”

<b>Protective Material Types</b>	Material suitable for detergent contact – Butyl rubber, Natural Latex, Neoprene, PVC, and Nitrile.
<b>Respirator</b>	Generally not required for normal cleaning operations. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid	<b>Colour</b>	Colourless/straw
<b>Odour</b>	Banana	<b>Specific Gravity</b>	1.01 g/mL
<b>Boiling Point</b>	Not available	<b>Freezing Point</b>	Approximately 0 °C
<b>Vapour Pressure</b>	Not available	<b>Vapour Density</b>	Not available
<b>Flash Point</b>	40 - 50°C (calculated)	<b>Flammable Limits</b>	Not available
<b>Water Solubility</b>	Complete	<b>pH</b>	8.0 – 9.0
<b>Volatile Organic Compounds (VOC)</b>	Not available	<b>Coefficient of Water/Oil Distribution</b>	Not available
<b>Viscosity</b>	Not available	<b>Odour Threshold</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Per Cent Volatile</b>	Ca 80% v/v

### SECTION 10 – STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable at normal temperatures and pressure.
<b>Conditions to Avoid</b>	Heat and sources of ignition
<b>Incompatible Materials</b>	Oxidising agents, strong acids and bases.
<b>Hazardous Decomposition</b>	Product can decompose on combustion (burning) to form Carbon Monoxide, Carbon Dioxide, and other possibly toxic gases and vapours.
<b>Hazardous Reactions</b>	None known.

### SECTION 11 – TOXICOLOGICAL INFORMATION

#### POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

#### Ingestion

<b>short term exposure</b>	Aspiration into lungs when swallowed or vomited may cause chemical pneumonitis. Can result in nausea, vomiting and central nervous system depression. LD50 (ATE Calculated) : >10,000 mg/kg.
<b>long term exposure</b>	No information available.

#### Skin contact

<b>short term exposure</b>	May have a degreasing action on the skin leading to irritation. Prolonged or repeated exposure can lead to dermatitis in sensitive individuals. Repeated exposure may cause skin dryness or cracking.
<b>long term exposure</b>	No information available for the product

#### Eye contact

<b>short term exposure</b>	Concentrated product may causes eye irritation. Eye contact with concentrate will cause stinging, blurring, tearing.
<b>long term exposure</b>	No information available.



## SAFETY DATA SHEET “MAGIC STAIN REMOVER”

<b>Inhalation</b>	
<b>short term exposure</b>	Possible respiratory irritant. Breathing in high concentrations can produce headaches, dizziness and nausea.
<b>long term exposure</b>	No information available.
<b>Carcinogen Status</b>	
<b>NOHSC</b>	No significant ingredient is classified as carcinogenic by NOHSC.
<b>NTP</b>	No significant ingredient is classified as carcinogenic by NTP.
<b>IARC</b>	No significant ingredient is classified as carcinogenic by IARC.
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitizer.
<b>Skin Sensitisation</b>	Not expected to be a skin sensitizer.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>STOT-single exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>STOT-repeated exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.

### SECTION 12 – ECOLOGICAL INFORMATION

Eco-toxicity Product (as sold)	Harmful to aquatic life. Acute Aquatic Toxicity - 3 Acute Aquatic Toxicity (Calculated) LC50: 23.5 – 64.0 mg/L.
Eco-toxicity Product (at use dilution 1:100 rinse)	Not harmful to aquatic life. LC50 > 100mg/L. Acute Aquatic Toxicity NOT HAZARDOUS Acute Aquatic Toxicity (Calculated) LC50: 2,350 – 6,400 mg/L.
Persistence and degradability	Data not available, surfactants are biodegradable under OECD 301 D. Based on data of ingredients full formulation would be expected to be biodegradable.
Bio accumulative potential	None available for specific product.
Mobility in soil	None available for specific product.
Other adverse effects	None available for specific product.
Environmental Protection	Avoid contaminating waterways. Primary component " 2-Methypentane-2-4-diol" Daphnia larvae : LC50 28,000 – 32,000mg/l

### SECTION 13 – DISPOSAL CONSIDERATIONS

<b>Disposal</b>	Dispose of material according to Local Authority Regulations or through a licensed waste contractor.
-----------------	--

### SECTION 14 – TRANSPORT INFORMATION

<b>Labels Required</b>			
<b>ADG</b>	Not currently classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.		
<b>IMDG Marine Pollutant</b>	Not classified		
<b>Land Transport (ADG)</b>			
<b>UN Number</b>	none allocated	<b>ADG Classification</b>	none allocated
<b>Shipping Name</b>	none allocated	<b>ADG Subsidiary Risk</b>	none allocated
<b>Hazchem Code</b>	none allocated	<b>Packing Group</b>	none allocated
<b>Segregation</b>	none allocated		

### SECTION 15 – REGULATORY INFORMATION

<b>GHS Classification</b>	This product is classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
---------------------------	--



## SAFETY DATA SHEET “MAGIC STAIN REMOVER”

<b>SUSMP</b>	This product is <b>NOT classified as a Scheduled Poison</b> according to the SUSMP
<b>ADG Code</b>	This product is <b>NOT classified as Dangerous Goods</b> according to the Australian Dangerous Goods Code.
<b>AICS</b>	All ingredients present on AICS.

### SECTION 16 – OTHER INFORMATION

<b>Issue Date</b>	22 <sup>nd</sup> August 2018
<b>Version Number</b>	V 3.0
<b>Abbreviations and acronyms</b>	<p><b>ADG Code:</b> Australian Code for the Transport of Dangerous Goods by Road and Rail.</p> <p><b>AICS:</b> Australian Inventory of Chemical Substances.</p> <p><b>CAS Number:</b> Chemical Abstracts Service Registry Number.</p> <p><b>GHS:</b> Globally Harmonized System of Classification and Labelling of Chemicals</p> <p><b>HAZCHEM:</b> An emergency action code of numbers and letters which gives information to emergency services.</p> <p><b>HSIS:</b> Hazardous Substances Information System</p> <p><b>IARC:</b> International Agency for Research on Cancer.</p> <p><b>NOHSC:</b> National Occupational Health and Safety Commission.</p> <p><b>NTP:</b> National Toxicology Program (USA).</p> <p><b>SDS:</b> Safety Data Sheet</p> <p><b>STEL:</b> Short Term Exposure Limit.</p> <p><b>SUSMP:</b> Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p><b>TWA:</b> Time Weighted Average.</p> <p><b>UN Number:</b> United Nations Number.</p>
<b>Literature references</b>	<p>Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice ( Safe Work Australia)</p> <p>GHS Hazardous Chemical Information List (Safe Work Australia)</p> <p>Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.</p> <p>Global Harmonized System of Classification and Labelling of Chemicals (GHS)</p> <p>“Australian Exposure Standards”. Safework Australia</p> <p>Australian Code For The Transport Of Dangerous Goods By Road And Rail</p> <p>Standard for the Uniform Scheduling of Medicines and Poisons</p> <p>Material Safety Data Sheets – individual raw materials – Suppliers</p> <p>HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.</p> <p>HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.</p>

This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

The SDS is valid for five years from date of issue but may be withdrawn and revised at any time prior to that date. All information contained in the Data Sheet is as accurate as possible at the time of issue. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. No expressed or implied warranties nor any responsibility for damages resulting from use of the information are given other than those implied mandatory by Commonwealth, State or Territory Legislation. If this product is to be re-packaged by others, it will be necessary for a new SDS to be generated by the re-packer.

**End of SDS**



SAFETY DATA SHEET  
"MAGIC STAIN REMOVER"